

# CARBON DIOXIDE



## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 1.1 Revision Date: 05/21/2015

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### Product Identifier

**Product Form:** Mixture

**Product Name:** Carbon Dioxide

**Synonyms:** Not available

**CAS No.** 124-38-9

### Intended Use of the Product

**Use of the Substance/Mixture:** Industrial use

### Name, Address, and Telephone of the Responsible Party

#### **Company**

Williams, Inc.  
One Williams Center  
Tulsa, OK 74172, US  
T 800-945-5426  
[ehs@williams.com](mailto:ehs@williams.com)

### Emergency Telephone Number

**Emergency number** Chemtrec - 800-424-9300

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### **Classification (GHS-US)**

Simple Asphy

Compressed gas H280

### Label Elements

#### **GHS-US Labeling**

**Hazard Pictograms (GHS-US)** :



GHS04

**Signal Word (GHS-US)** : Warning

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Hazard Statements (GHS-US)** : H280 - Contains gas under pressure; may explode if heated  
May displace oxygen and cause rapid suffocation

**Precautionary Statements (GHS-US)** : P410+P403 - Protect from sunlight. Store in a well-ventilated place

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre existing eye, skin, or respiratory conditions. Asphyxiant gas, can be fatal. May cause damage to the blood, central nervous system, and cardiovascular system. High concentrations of gas can cause unconsciousness and death. Being under the influence of alcohol may enhance the effects of this product.

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

NAME	PRODUCT IDENTIFIER	% (W/W)	CLASSIFICATION (GHS-US)
Carbon dioxide	(CAS No) 124-38-9	97.04 - 97.23	Simple Asphy Compressed gas, H280
Nitrogen	(CAS No) 7727-37-9	1.33 - 1.53	Simple Asphy Compressed gas, H280
Oxygen	(CAS No) 7782-44-7	0.66 - 0.68	Ox. Gas 1, H270 Compressed gas, H280
Methane	(CAS No) 74-82-8	0.57 - 0.58	Simple Asphy Flam. Gas 1, H220 Compressed gas, H280
Hexane, branched and linear	(CAS No) 92112-69-1	0.11 - 0.12	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). If frostbite or freezing occurs, immediately flush with plenty of lukewarm water to GENTLY warm the affected area. Do not use hot water. Do not rub affected area. Get immediate medical attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Thaw frosted parts with lukewarm water. Do not rub affected area.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Get immediate medical attention.

### **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** May cause frostbite on contact with the liquid. Carbon Dioxide is an asphyxiant. Lack of oxygen can be fatal.

**Inhalation:** Gas can be toxic as a simple asphyxiant by displacing oxygen from the air. Asphyxia by lack of oxygen: risk of death. May cause drowsiness or dizziness.

**Skin Contact:** Contact with the liquid may cause cold burns/frostbite

**Eye Contact:** This gas is non-irritating; but direct contact with liquefied/pressurized gas or frost particles may produce severe and possibly permanent eye damage from freeze burns

**Ingestion:** Ingestion is not considered a potential route of exposure. Non-irritating; but solid and liquid forms of this material and pressurized gas may cause freeze burns.

**Chronic Symptoms:** Not available

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention.

## SECTION 5: FIREFIGHTING MEASURES

### **NFPA 704 Hazard Class**

Health: 1 Flammability: 0 Instability: 0



0 (Minimal)  
1 (Slight)  
2 (Moderate)  
3 (Serious)  
4 (Severe)

### **Extinguishing Media**

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not flammable

**Explosion Hazard:** Product is not explosive

**Reactivity:** Hazardous reactions will not occur under normal conditions.

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon monoxide, Oxygen.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Avoid breathing (gas, vapor, mist, spray). Use only outdoors or in a well-ventilated area. Ruptured cylinders may rocket. Do not allow product to spread into the environment.

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Notify authorities if liquid enters sewers or public waters.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Stop leak if possible to do so without risk. Isolate area until gas has dispersed. Use water spray to disperse vapors. For water based spills contact appropriate authorities and abide by local regulations for hydrocarbon spills into waterways. Contact competent authorities after a spill.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### **Precautions for Safe Handling**

**Additional Hazards When Processed:** Do not pressurize, cut, or weld containers. Do not puncture or incinerate container. Liquid gas can cause frost-type burns

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep container tightly closed. Keep/Store away from extremely high or low temperatures, ignition sources, direct sunlight, incompatible materials. Store in original container.

**Incompatible Materials:** Strong oxidizers

**Specific End Use(s):** Industrial use

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

Chemical Name	ACGIH	OSHA	NIOSH
Carbon dioxide (124-38-9)	TWA: 5000 ppm STEL: 30000 ppm	PEL (TWA): 5000 ppm PEL (TWA): 9000 mg/m <sup>3</sup>	REL (TWA): 5000 ppm REL (TWA): 9000 mg/m <sup>3</sup> REL (STEL): 30000 ppm REL (STEL): 54000 mg/m <sup>3</sup> IDLH: 40000 mg/m <sup>3</sup>
Methane (74-82-8)	TWA: Minimal oxygen content required	--	REL (TWA): 800 ppm REL (TWA): 1900 mg/m <sup>3</sup>

**Note:** State province, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial hygienist or similar professional, or your local agencies, for further information.

### **Exposure Controls**

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Protective goggles. Protective clothing. Respiratory protection of the dependent type. Insulated gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves. Insulated gloves

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear appropriate protective clothing.

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Respiratory Protection:** Use a NIOSH-approved self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

**Thermal Hazard Protection:** Wear suitable protective clothing.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	: Gas
<b>Appearance</b>	: Clear, Colorless gas. Liquefied compressed gas
<b>Odor</b>	: Odorless
<b>Odor Threshold</b>	: Not available
<b>pH</b>	: Not available
<b>Relative Evaporation Rate (butylacetate=1)</b>	: High
<b>Melting Point</b>	: -78.5°C (109.3°F)
<b>Freezing Point</b>	: Not available
<b>Boiling Point</b>	: -78.5°C (174.2°F)
<b>Flash Point</b>	: Not available
<b>Auto-ignition Temperature</b>	: Not available
<b>Decomposition Temperature</b>	: Not available
<b>Flammability (solid, gas)</b>	: Not available
<b>Lower Flammable Limit</b>	: Not available
<b>Upper Flammable Limit</b>	: Not available
<b>Vapor Pressure</b>	: 838 psig (5773/ kPa) @ 20°C (68°F)
<b>Relative Vapor Density</b>	: 1.52 (air = 1) @ 21°C (70°F)
<b>Relative Density</b>	: 0.50-0.51 15.6°C (60°F)
<b>Density</b>	: 762 kg/m <sup>3</sup> Saturated liquid 21.1°C (70°F)
<b>Specific Gravity</b>	: 1.50 @15.56°C (60°F), air=1
<b>Solubility</b>	: Soluble in water
<b>Log Pow</b>	: Not available
<b>Log Kow</b>	: Not available
<b>Viscosity, Kinematic</b>	: Not available
<b>Viscosity, Dynamic</b>	: Not available
<b>Explosion Data – Sensitivity to Mechanical Impact</b>	: Not expected to present an explosion hazard due to mechanical impact.
<b>Explosion Data – Sensitivity to Static Discharge</b>	: Not expected to present an explosion hazard due to static discharge

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong oxidizers

**Hazardous Decomposition Products:** Carbon monoxide, Oxygen.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries after Inhalation:** Gas can be toxic as a simple asphyxiant by displacing oxygen from the air. Asphyxia by lack of oxygen: risk of death. May cause drowsiness or dizziness.

**Symptoms/Injuries after Skin Contact:** Contact with the liquid may cause cold burns/frostbite.

**Symptoms/Injuries after Eye Contact:** This gas is non-irritating; but direct contact with liquefied/pressurized gas or frost particles may produce severe and possibly permanent eye damage from freeze burns.

**Symptoms/Injuries after Ingestion:** Ingestion is not considered a potential route of exposure. Non-irritating; but solid and liquid forms of this material and pressurized gas may cause freeze burns.

#### Information on Toxicological Effects - Ingredient(s)

##### LD50 and LC50 Data

CARBON DIOXIDE (124-38-9)	
LC50 Inhalation Rat (ppm)	470000 ppm (Exposure time: 30 min)

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: ECOLOGICAL INFORMATION

#### **GHS Classification:**

No classified hazards

#### **Toxicity:**

No additional information available.

#### **Persistence and Degradability**

CARBON DIOXIDE	
Persistence and Degradability	Product is biodegradable.

#### **Bioaccumulative Potential**

CARBON DIOXIDE	
Bioaccumulative Potential	Not expected to bioaccumulate.

BUTANE (106-97-8)	
Log Pow	2.89

CARBON DIOXIDE (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83

**Mobility in Soil** Not available

#### **Other Adverse Effects**

**Other adverse effects:** Can cause frost damage to vegetation.

**Other Information:** Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Additional Information:** Empty gas cylinders should be returned to the vendor for recycling or refilling.

### SECTION 14: TRANSPORT INFORMATION

#### **UN Number**

**UN-No.(DOT):** 1013

**DOT NA no.:** UN1013

#### **UN Proper Shipping Name**

**DOT Proper Shipping Name** : UN1013 Carbon dioxide, 2.2



# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Hazard Labels (DOT)** : 2.2 - Non-flammable compressed gas



**DOT Packaging Exceptions (49 CFR 173.xxx)** : 306

**DOT Packaging Non Bulk (49 CFR 173.xxx)** : 302; 304

**DOT Packaging Bulk (49 CFR 173.xxx)** : 302; 314; 315

### Additional Information

**Emergency Response Guide (ERG) Number** : 120

### Transport by sea

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

### Air transport

**DOT Quantity Limitations Passenger Aircraft/Rail (49 CFR 173.27)** : 75 kg

**DOT Quantity Limitations Cargo Aircraft Only (49 CFR 175.75)** : 150 kg

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

<b>Butane</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard Sudden release of pressure hazard
Carbon dioxide (124-38-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Nitrogen (7727-37-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Oxygen (7782-44-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Methane (74-82-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	


### Canadian Regulations

<b>CARBON DIOXIDE</b>	
<b>WHMIS Classification</b>	Class A - Compressed Gas

## CARBON DIOXIDE

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



#### CARBON DIOXIDE (124-38-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Class A - Compressed Gas
----------------------	--------------------------

#### NITROGEN (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification	Class A - Compressed Gas
----------------------	--------------------------

#### OXYGEN (7782-44-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification	Class A - Compressed Gas Class C - Oxidizing Material
----------------------	--

#### METHANE (74-82-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas
----------------------	--

#### HEXANE, BRANCHED AND LINEAR (92112-69-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	--

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION

**Revision date** : 05/21/2015

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

# CARBON DIOXIDE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### GHS Full Text Phrases:

Compressed gas	Gases under pressure Compressed gas
Simple Asphy	Simple Asphyxiant
H280	Contains gas under pressure; may explode if heated

### Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

### Disclaimer of Expressed and implied Warranties:

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.

### Party Responsible for the Preparation of This Document

Williams, Inc.  
One Williams Center  
Tulsa, OK 74172, US  
800-688-7507

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

North America GHS US 2012 & WHMIS